

SCHEDA TECNICA

XM35 JET CLEAN® INDUSTRIAL VACUUM

ASPIRATORI INDUSTRIALI WET&DRY MONOFASE

The XM35 Jet Clean® is a **powerful and safe industrial vacuum**, easily transportable thanks to the trolley mounted on castor wheels. Suction is generated by **two powerful By-Pass motors** installed under a soundproof metal casing. The **professional suction** features are incredibly **high performance** and far outweigh the vacuum cleaners in its category on the market today. In this vacuum cleaner, there is a **filter cartridge** fitted inside **certified by BIA** (Berufsgenossenschaftliches Institut für Arbeitssicherheit) in **M Class** with a **1μ filtration efficiency**. Furthermore, thanks to the 40,000 cm² of filtering surface, **large amounts of dust** can be vacuumed without clogging the filter, thereby ensuring operator safety. The **industrial vacuum** of Depureco's **single-phase range** is equipped with a **JetClean® filter cleaning system** that cleans the filter using a pressure differential between the inside and the outside of the vacuum. The filter can be cleaned without turning the suction motors off and without disconnecting the suction pipe. This **vacuum cleaner** is equipped with a 45 lt **container** capacity, detachable from the bottom, allowing the operator to dispose of the material collected extremely **easily and safely**.

**POTENZA**
2,6 kW**SUPERFICIE**
35.000 cm²**CAPACITÀ**
45 Lt

HIGHLIGHTS

SUCTION UNIT



The vacuum is generated by 2 by-pass motors. Each motor is managed by an independent switch, permitting the operator to control the intake performance. The motors are located in a sturdy casing, with an insulating sponge to maintain a low noise level.

FILTERING ELEMENT



The filtration is guaranteed by a sturdy polyester filtering cartridge. The cartridge is made to ensure large filter surface (40.000 cm²) in a compact space. This way air can pass through when the filter is dirty too. The filter is M Class (BIA | EN 60335-2-69) certified. It stops the particles till 1 micron, preserving the motors and the operator.

JET CLEAN® FILTER CLEANING SYSTEM



The vacuum cleaner is equipped with a new filter cleaning system named JetClean® designed by Depureco. Using the difference in pressure outside and inside the vacuum cleaner, the system generates an air jet which by travelling through the cartridge detaches the dust from the filter's surface. It is a fast and efficient way to keep the filter clean during operations, without stopping the vacuuming operations.

COLLECTION BIN



The material is collected inside a painted container equipped with a metal handle which enables the bin to be detached from the machine. Thanks to its 4 swiveling wheels, the bin can be easily moved and emptied.

DATI TECNICI

MOTORE

Tipologia	by-pass
Voltaggio	230V
Massimo vuoto	250mBar
Massima portata d'aria	380m ³ /h
Livello di rumorosità	72dB(A)
Motori	2
Frequenza	50/60Hz
Potenza	3,5HP

FILTRO PRIMARIO

Tipologia	conical cartridge
Classe EN 60335-2-69	M Class
Media	PTFE
Pulizia filtro	Jet Clean
Efficienza filtrante (IFA)	IFA/BGIA M-PES

MACCHINA


Bocca aspirante	50Ø mm
Dimensioni	585 x 545mm
Altezza	1.285mm
Peso	45Kg

OPZIONI

MEDIA FILTRANTE DISPONIBILE

HEPA 14

Filtro assoluto (EN 1822)
 22.000 cm² superficie filtrante
 Classe H14 (EN 1822)
 Fibra di vetro

OPZIONI
ALTRE OPZIONI


AB
 Cassetta porta accessori



BX
 Contenitore in acciaio INOX AISI 304



GRD
 Messa a terra



RC
 Controllo remoto 24 V ON/OFF



RC SCHUKO
 Controllo remoto da elettrooutensile (MAX 2000 W)

ACCESSORI


P12348
DRY KIT Ø 50MM
 Kit completo di accessori specifici per aspirazione
 polveri e solidi in diametro 50 mm



P12348
DRY KIT Ø 50MM
 Kit completo di accessori specifici per aspirazione
 polveri e solidi in diametro 50 mm



P12348
DRY KIT Ø 50MM
 Kit completo di accessori specifici per aspirazione
 polveri e solidi in diametro 50 mm



P12348
DRY KIT Ø 50MM
 Kit completo di accessori specifici per aspirazione
 polveri e solidi in diametro 50 mm