

SINGLE-PHASE WET&DRY INDUSTRIAL VACUUM CLEANERS

WD 133

INDUSTRIAL VACUUM CLEANER FOR LIQUIDS



POWER
3,9 kW - 5,2 HP




APPLICATION
Liquids



CAPACITY
130 Lt

FEATURES


- 130 liters of liquid collection capacity
- High-strength steel construction
- Dual of interchangeable liquid/solid filtration system
- Manual valve for effortless discharge of sucked-in liquid

HIGHLIGHTS

SUCTION UNIT


Suction is provided by 2/3 by-pass motors operated by independent switches, allowing the operator to control suction performance. The motors are located inside a robust enclosure, with an insulating sponge to maintain a low noise level.


DUST/LIQUID FILTRATION KIT

Supplied with two washable filters, one polypropylene for liquid suction and one polyester for dust suction.


COLLECTION UNIT

The material is collected inside a large coated steel container that is easy to move thanks to the 4 sturdy wheels.


LIQUID DISCHARGE VALVE

A ball valve located at the bottom of the container allows the collected liquids to be easily discharged by gravity.

TECHNICAL DATA
MOTOR

Typologies	By-pass
Power	3,9 kW - 5,2 HP
Frequency	50/60 Hz
Voltage	230 V
Vacuum in continuous run	250 mBar
Maximum air flow	570 m ³ /h
Noise level	72 dB(A)

MACHINE

Suction inlet	70 Ø mm
Collection system	Steel container
Capacity	130 Lt
Liquid discharge system	Discharge valve
Dimensions	580 x 530 mm
Height	1160 mm
Weight	40 Kg

FILTRATION

Primary filter type	Bag
Media	Polypropylene 150µm
Additional filter	Anti-foam filter

OPTIONS

STRUCTURE AND OPTIONS

60^{Hz}


60HZ
Available in 60Hz version



3 YEARS WARRANTY
Purchasing the replacement filter along with the vacuum



BX
Stainless steel bin AISI 304



GRD
Grounding

ACCESSORIES



P11887
WET & DRY KIT Ø 50MM
Robust system for suctioning large quantities of liquids and solid debris. - 3-meter Evaflex hose - 2x antistatic rubber sleeves - Flat ...



P13639
WET & DRY KIT Ø 40MM
Versatile kit designed to easily switch between vacuuming dust and liquid debris. - 3-meter Evaflex hose - 1x 50/40 antistatic rubber ho ...