SINGLE-PHASE WET&DRY INDUSTRIAL VACUUM CLEANERS

XM 20 OVEN

OVEN CLEANING INDUSTRIAL VACUUM CLEANER

Watch the video!



POWER
2,6 kW - 3,5 HP


APPLICATION
Hot material

CAPACITY
20 Lt

FEATURES

- Ideal for still-hot residues and crumbs in bakery and food industries
- Compact, handy and constructed of steel
- High-temperature resistant filter
- Accessory kit for interior oven cleaning included

HIGHLIGHTS



SUCTION UNIT

Suction is provided by 2 by-pass motors controlled by independent switches, allowing the operator to control suction performance. The motors are located inside a robust enclosure, with an insulating sponge to maintain a low noise level.



FILTER UNIT

Filtration is ensured by Nomex filter in class M (filtering efficiency 1 micron) with high filtering surface area, designed to withstand high temperatures and allow suction of incandescent material (up to 250°).



FILTER CLEANING SYSTEM

An ergonomic manual filter shaker allows the filter to be cleaned easily and quickly, removing dust and debris from the surface of the filter.



ACCESSORY KIT INCLUDED

A high-temperature resistant accessory kit including extensions is included in the standard equipment of the vacuum cleaner

TECHNICAL DATA

MOTOR

Typologies	By-pass
Power	2,6 kW - 3,5 HP
Frequency	50/60 Hz
Voltage	230 V
Vacuum in continuous run	250 mBar
Maximum air flow	380 m3/h
Noise level	72 dB(A)


MACHINE

Suction inlet	50 Ø mm
Collection system	Steel container
Capacity	20 Lt
Dimensions	515 x 545 mm
Height	994 mm
Weight	38 Kg
Accessory kit included	P11857

FILTRATION

Primary filter type	Star
Filter surface	15000 cm2
EN 60335-2-69 filtration class	Nomex
Media	Polyester
Filter Cleaning System	Manual

FEATURES



DEFLECTOR
Internal deflector to protect the filter



SHUKO TYPE PLUG



FILTER CLOGGING INDICATOR
Filter clogged or need to be replaced indicator light



POWER SUPPLY CABLE



WHEEL WITH BRAKE
Non-marking wheel with integrated brake



WHEELS
Non-marking pivoting wheels



STEEL CONSTRUCTION
Rugged industrial coated steel construction



NOMEX
250° Celsius resistant filter



P11857 OVEN CLEANING ACCESSORY KIT
High-temperature-resistant d40 kit for vacuuming hot or burnt residues from inside ovens

OPTIONS

AVAILABLE FILTER MEDIA



HEPA 14
Absolute filter (EN 1822)
22.000 cm² filter surface
H14 Class Filter (EN 1822)
Glass fiber

STRUCTURE AND OPTIONS

60HZ
Available in 60Hz version



3 YEARS WARRANTY
Purchasing the replacement filter along with the vacuum




ACCESSORY HOLDER



BX
Stainless steel bin AISI 304



GX
Stainless steel bin and chamber AISI 304



GRD
Grounding

ACCESSORIES



P11857
OVEN CLEANING KIT Ø 40MM
Heat-resistant (up to 250°) equipment designed for the maintenance and interior cleaning of industrial ovens. - 3-meter metal hose - 2x ...



P13638
STARTER KIT Ø 40MM
Basic kit containing specific accessories for 40 mm diameter solids and liquids vacuuming



P13640
DRY KIT Ø 40MM
Optimized configuration for thorough cleaning of floors and surfaces from dry dust. - 3-meter Evaflex hose - 1x 50/40 antistatic rubber ...