

HEAVY DUTY THREE-PHASE INDUSTRIAL VACUUM CLEANERS

# TX750 P JC LP TAN

## INDUSTRIAL VACUUM CLEANER WITH ADJUSTABLE BAG COLLECTION



**POWER**  
7,5 kW - 10 HP



**APPLICATION**  
Toxic or hazardous dusts



**COLLECTION SYSTEM**  
Endless bag

**FEATURES**

- Industrial steel vacuum cleaner, powerful and reliable
- Suitable for continuous work, 24 hours a day, 7 days a week
- Cyclonic effect and high surface area M-class filter
- Endless Bag collection to avoid contact with dust


**HIGHLIGHTS**

**SUCTION UNIT**

The suction unit is a side channel blower with direct coupling between motor and impeller. The turbine is equipped with a safety valve to ensure continuous, maintenance-free work. A metal silencer is included as standard in the turbine to ensure a low noise level.


**FILTER UNIT**

Filtration is ensured by a Class M polyester cartridge filter (filtration efficiency 1 micron) with a high filtering surface area, which guarantees air passage even with a dirty filter.


**JET CLEAN FILTER CLEANING SYSTEM**

Equipped with JetClean® filter cleaning system. Due to the different pressure between the outside and inside of the vacuum cleaner, the system generates a flow of air through the cartridge that detaches dust from the surface of the filter, keeping the filter efficient while working and without stopping suction.


**COLLECTION UNIT**

The material is collected inside a sturdy 20-meter-long adjustable roll plastic bag. Once the bag is filled, simply seal and remove it, with no contact between operator and material.

**TECHNICAL DATA**
**MOTOR**

Typologies	Side channel blower
Power	7,5 kW - 10 HP
Frequency	50/60 Hz
Voltage	400 V
Vacuum in continuous run	260 mBar
Maximum air flow	730 m3/h
Noise level	79 dB(A)

**MACHINE**

Suction inlet	70 Ø mm
Collection system	Endless Bag
Dimensions	650 x 1100 mm
Height	1750 mm
Weight	200 Kg

**FILTRATION**

Primary filter type	Cartridge
Filter surface	16000 cm2
EN 60335-2-69 filtration class	M
Media	PTFE coated polyester
Filter Cleaning System	Jet Clean
JetClean Guillotine	Included

**OPTIONS**

**AVAILABLE FILTER MEDIA**



**HEPA 14**  
Absolute filter (EN 1822)  
28.000 cm<sup>2</sup> filter surface  
H14 Class Filter (EN 1822)  
Glass fiber

**STRUCTURE AND OPTIONS**

**60<sup>✓</sup>HZ**

**60HZ**  
Available in 60Hz version



**3 YEARS WARRANTY**  
Purchasing the replacement filter along with  
the vacuum

ACCESSORIES



**P13638**  
**STARTER KIT Ø 40MM**  
Basic kit containing specific accessories for 40 mm diameter solids and liquids vacuuming



**P12350**  
**STARTER KIT Ø 50MM**  
A compact, essential solution for quick vacuuming on simple surfaces. - 3-meter Evaflex hose - 2 antistatic rubber sleeves - Flat nozzle



**P13640**  
**DRY KIT Ø 40MM**  
Optimized configuration for thorough cleaning of floors and surfaces from dry dust. - 3-meter Evaflex hose - 1x 50/40 antistatic rubber ...



**P12348**  
**DRY KIT Ø 50MM**  
Kit for cleaning large areas of dry dust that require high suction power. - 3-meter Evaflex hose - 2x antistatic rubber sleeves - Flat ...



**P11717**  
**"Y" REDUCER BRANCH Ø 70/50/50MM**  
Galvanised steel "Y" reducer 70/50/50 mm