

PNEUMATIC INDUSTRIAL VACUUM CLEANERS

# WD AIR

## COMPRESSED AIR WET VACUUM



APPLICATION  
Liquids




CAPACITY  
130Lt

## FEATURES

- 130 liters of liquid collection capacity
- High-strength steel construction
- Dual of interchangeable liquid/solid filtration system
- Powered by compressed air

## HIGHLIGHTS



### SUCTION UNIT

Suction is generated by two ejectors which generate, without the use of mechanical elements, a considerable vacuum inside the chamber, thus making suction possible.



### DUST/LIQUID FILTRATION KIT

Supplied with two washable filters, one polypropylene for liquid suction and one polyester for dust suction.



### COLLECTION UNIT

The material is collected inside a large coated steel container that is easy to move thanks to the 4 sturdy wheels.



### LIQUID DISCHARGE VALVE

A ball valve located at the bottom of the container allows the collected liquids to be easily discharged by gravity.

## TECHNICAL DATA

### MOTOR

Typologies	Venturi ejector
Vacuum in continuous run	500 mBar
Maximum air flow	250 m <sup>3</sup> /h
Noise level	78 dB(A)
Air required	2500 lt/min
Pressure requirement	6 - 8 Bar


### MACHINE

Suction inlet	70 Ø mm
Collection system	Steel container
Capacity	130 Lt
Liquid discharge system	Discharge valve
Dimensions	660 x 800 mm
Height	1200 mm
Weight	62 Kg

### FILTRATION

Primary filter type	Bag
EN 60335-2-69 filtration class	M
Media	Polyester
Additional filter	Anti-foam filter

## FEATURES



**DEFLECTOR**  
Internal deflector to protect the filter



**PUSH HANDLE**



**COMPRESSED AIR SUPPLY VALVE**



**WHEEL WITH BRAKE**  
Non-marking wheel with integrated brake



**WHEELS**  
Non-marking pivoting wheels



**STEEL CONSTRUCTION**  
Rugged industrial coated steel construction



**FLT**  
Floater device

## OPTIONS

### STRUCTURE AND OPTIONS



**3 YEARS WARRANTY**  
Purchasing the replacement filter along with the vacuum



**BX**  
Stainless steel bin AISI 304



**GRD**  
Grounding

## ACCESSORIES



**P10867**

**IRON REDUCER Ø 70/40MM**

Reducer for vacuum quick fitting in galvanised steel 70/40 mm diameter



**P10866**

**IRON REDUCER Ø 70/50MM**

Reducer for vacuum quick fitting in galvanised steel 70/50 mm diameter



**P13639**

**WET & DRY KIT Ø 40MM**

Kit containing specific accessories for 40 mm diameter solids and liquids vacuuming



**P11887**

**WET & DRY KIT Ø 50MM**

Kit containing specific accessories for 50 mm diameter solids and liquids vacuuming