

SUMP VACUUM CLEANERS FOR OIL AND CHIPS

M 100 OIL

INDUSTRIAL VACUUM CLEANER FOR OIL AND METAL SHAVINGS



Watch the video!



POWER
3,9 kW - 5,2 HP



APPLICATION
Oils and lubricants mixed shavings






CAPACITY
100 lt

FEATURES

- Filters and reuses lubricating and cutting oils
- 3 powerful single-phase motors for maximum suction power
- Simplified liquid collection and swarf management
- Sturdy painted steel construction

HIGHLIGHTS



TECHNICAL DATA

| MOTOR | | MACHINE | | FILTRATION | |
|--------------------------|-----------------|-------------------------|-----------------|---------------------|---------------------|
| Typologies | By-pass | Suction inlet | 50 Ø mm | Primary filter type | Bag |
| Power | 3,9 kW - 5,2 HP | Collection system | Steel container | Media | Polypropylene 150µm |
| Frequency | 50/60 Hz | Solids capacity | 50 lt | | |
| Voltage | 230 V | Liquids capacity | 100 lt | | |
| Vacuum in continuous run | 250 mBar | Liquid discharge system | Discharge valve | | |
| Maximum air flow | 570 m3/h | Dimensions | 700 x 450 mm | | |
| Noise level | 72 dB(A) | Height | 1400 mm | | |
| | | Weight | 71 Kg | | |
| | | Solid separation | Basket grid | | |

FEATURES



LIQUID LEVEL INDICATOR



OIL-PROOF CARTRIDGE
Oil-proof cartridge for motor protection



PUSH HANDLE



SHUKO TYPE PLUG



VACUUM GAUGE
Vacuum gauge for indication of filter clogged or in need of replacement



POWER SUPPLY CABLE



WHEEL WITH BRAKE
Non-marking wheel with integrated brake



WHEELS
Non-marking pivoting wheels



STEEL CONSTRUCTION
Rugged industrial coated steel construction



GB
Metal grid basket

OPTIONS

STRUCTURE AND OPTIONS

60^{Hz}

60HZ
Available in 60Hz version



BX
Stainless steel bin AISI 304

ACCESSORIES



P12351
OIL & SWarf KIT Ø 40MM.
Quick solution for vacuuming up metal scraps and oily residues in machine shops. - 3 m of reinforced polyurethane hose - 2 anti-static r ...



P12352
OIL & SWarf KIT Ø 50MM.
Quick solution for vacuuming up metal scraps and oily residues in machine shops. - 3 m of reinforced polyurethane hose - 2 anti-static r ...



P12354
OIL & SWarf KIT PRO Ø 40MM
Complete system for collecting oil and metal shavings, with specific accessories for every part of the machine tool. - 3 m of reinforced ...



P12355
OIL & SWarf KIT PRO Ø 50MM
Complete system for collecting oil and metal shavings, with specific accessories for every part of the machine tool. - 3 m of reinforced ...