

# HEAVY DUTY THREE-PHASE INDUSTRIAL VACUUM CLEANERS

# TX 400 P SP INDUSTRIAL WHEELED VACUUM CLEANER WITH AUTOMATIC FILTER CLEANING



Watch the video!





POWER 4 kW - 5,5 HP



APPLICATION
Fine, dry and clogging powders



CAPACITY 100Lt



## **FEATURES**

- Industrial steel vacuum cleaner, powerful and reliable
- Suitable for continuous work, 24 hours a day, 7 days a week
- Suitable for extracting large quantities of fine and light dusts
- Multiple construction options available

# HIGHLIGHTS



## **SUCTION UNIT**

The suction unit is a side channel blower with direct coupling between motor and impeller. The turbine is equipped with a safety valve to ensure continuous, maintenance-free work. A metal silencer is included as standard in the turbine to ensure a low noise level.



## **FILTER UNIT**

Filtration is ensured by polyester cartridge filters in class M (filtration efficiency 1 micron) with high filtering surface area, which guarantees the passage of air even with dirty filter.



## SP FILTER CLEANING SYSTEM

Automatic filter cleaning system in reverse flow of air at 6 bar (compressed air not supplied as standard). Each filter is cleaned at regular, adjustable intervals alternately without interrupting suction. Ideal for fine and difficult dust.



## **COLLECTION UNIT**

The material is collected inside a coated bin complete with a handle that allows it to be released. Thanks to the 4 sturdy pivoting wheels, the container can be moved with ease, and the collected material can then be disposed of.

# **TECHNICAL DATA**

MOTOR	
Typologies	Side channel blower
Power	4 kW - 5,5 HP
Frequency	50/60 Hz
Voltage	400 V
Vacuum in continuous run	160 mBar
Maximum air flow	530 m3/h
Insulation class	55   F IP
Noise level	76 dB(A)

MACHINE	
Suction inlet	70 Ø mm
Collection system	Steel container
Capacity	100 Lt
Dimensions	650 x 1100 mm
Height	1750 mm
Weight	140 Kg

#### **FILTRATION**

Primary filter type	3x Cartridges
Filter surface	90000 cm2
EN 60335-2-69 filtration class	М
Media	Antistatic polyester
Filter Cleaning System	Automatic SP



# **FEATURES**



**VACUUM GAUGE** 

Vacuum gauge for indication of filter clogged or in need of replacement



**POWER SUPPLY CABLE** 



**DEFLECTOR** 

Internal deflector to protect the filter



WHEEL WITH BRAKE

Non-marking wheel with integrated brake



WHEELS

Non-marking pivoting wheels



STEEL CONSTRUCTION

Rugged industrial coated steel construction



100 LT

100 Lt bin



PLUG

4-pole industrial plug

# **OPTIONS**

# **AVAILABLE FILTER CLEANING SYSTEMS**



COM

Compressor on board Compressor fitted on the back cover



# **AVAILABLE FILTER MEDIA**



HEPA 14 Absolute filter (EN 1822) 28.000 cm² filter surface H14 Class Filter (EN 1822) Glass fiber



# STRUCTURE AND OPTIONS

**60**<sup>®</sup><sub>HZ</sub>

**60HZ** 

Available in 60Hz version



**3 YEARS WARRANTY** 

Purchasing the replacement filter along with



ATEX CERTIFICATION



**CYCLONIC EFFECT** 

Tangential inlet and cyclone installed Tangential inlet + cyclone



RC

Remote control 24V ON/OFF



PRV

Pressure relief valve installed



LP

Endless Bag continuous roll collection system



KDP

Differential pressure KIT for bag



GRD

Grounding



**GFR** 

Lifting eyebolts



FLT

Floater device



FKL

Forklift bracket



BX

Stainless steel bin AISI 304



GX

Stainless steel bin and chamber AISI 304



Stainless steel bin, chamber and frame AISI 304



**CONTAINER EMPTYING KIT** 

System for easy container emptying using forklift lifting.



# **ACCESSORIES**



#### P13970

## ARTICULATED SUCTION ARM D70

Flexible PVC suction arm, retrofittable on existing models - 1.2 mt length - d70



#### P13638

## STARTER KIT Ø 40MM

Basic kit containing specific accessories for 40 mm diameter solids and liquids vacuuming



#### P12350

#### STARTER KIT Ø 50MM

Basic kit containing specific accessories for 50 mm diameter solids and liquids vacuuming



#### P13639

#### WET & DRY KIT Ø 40MM

Kit containing specific accessories for 40 mm diameter solids and liquids vacuuming



## P11887

#### WET & DRY KIT Ø 50MM

Kit containing specific accessories for 50 mm diameter solids and liquids vacuuming



## P13640

#### DRY KIT Ø 40MM

Kit containing specific accessories for 40 mm diameter dust and solids vacuuming



## P12348

#### DRY KIT Ø 50MM

Kit containing specific accessories for 50 mm diameter dust and solids vacuuming