

VACUUM CLEANERS FOR SCRAP, PACKAGING AND OEM

# SWAN 085

## INDUSTRIAL VACUUM CLEANER FOR FINE DUST



**POWER**  
0,85 kW - 1,2 HP



**APPLICATION**  
Toxic or hazardous dusts






**CAPACITY**  
35 Lt

## FEATURES

- Extraction of fine dust in demanding environments such as the food and pharmaceutical industries
- Progressive multistage filtration available
- GMP compliant
- Compact and easy to maintain

## HIGHLIGHTS



## TECHNICAL DATA

### MOTOR

Typologies	Side channel blower
Power	0,85 kW - 1,2 HP
Frequency	50/60 Hz
Voltage	400 V
Vacuum in continuous run	160 mBar
Maximum air flow	150 m3/h
Insulation class	55   F IP
Noise level	64 dB(A)

### MACHINE

Suction inlet	80 Ø mm
Collection system	Steel container
Capacity	35 Lt
Dimensions	750 x 500 mm
Height	1600 mm
Weight	75 Kg
Safety valve	Pressure relief valve

### FILTRATION

Primary filter type	Star
Filter surface	24000 cm2
EN 60335-2-69 filtration class	M
Media	Polyester
Filter Cleaning System	Manual

OPTIONS

AVAILABLE FILTER CLEANING SYSTEMS



**SP**  
Automatic reverse jet cleaning system  
Antistatic M class filter (EN 60335-2-69), 3  
Polyester filter cartridges, 9 m<sup>2</sup> filter surface

AVAILABLE FILTER MEDIA



**HEPA 14**  
Absolute filter (EN 1822)  
22.000 cm<sup>2</sup> filter surface  
H14 Class Filter (EN 1822)  
Glass fiber



**PTFE ANT**  
Antistatic PTFE filter (M class EN  
60335-2-69)



**PTFE**  
PTFE Filter (M class EN 60335-2-69)



**NOMEX**  
250° Celsius resistant filter



**MTF**  
Teflon filter (M class EN 60335-2-69)



**ANT M**  
Antistatic filter (M class EN 60335-2-69)

STRUCTURE AND OPTIONS

**60<sup>Hz</sup>**

**60HZ**  
Available in 60Hz version



**GRD**  
Grounding



**BX**  
Stainless steel bin AISI 304



**GX**  
Stainless steel bin and chamber AISI 304



**3 YEARS WARRANTY**  
Purchasing the replacement filter along with the vacuum



**TX**  
Stainless steel bin, chamber and frame AISI 304

ACCESSORIES



**P12350**  
**STARTER KIT Ø 50MM**  
A compact, essential solution for quick vacuuming on simple surfaces. - 3-meter Evaflex hose - 2 antistatic rubber sleeves - Flat nozzle



**P11887**  
**WET & DRY KIT Ø 50MM**  
Robust system for suctioning large quantities of liquids and solid debris. - 3-meter Evaflex hose - 2x antistatic rubber sleeves - Flat ...