

VACUUM CLEANERS FOR SCRAP, PACKAGING AND OEM

SWAN 085

INDUSTRIAL VACUUM CLEANER FOR FINE DUST



POWER
0,85 kW - 1,2 HP



APPLICATION
Toxic or hazardous dusts






CAPACITY
35 Lt

FEATURES

- Extraction of fine dust in demanding environments such as the food and pharmaceutical industries
- Progressive multistage filtration available
- GMP compliant
- Compact and easy to maintain

HIGHLIGHTS



TECHNICAL DATA

MOTOR

| | |
|--------------------------|---------------------|
| Typologies | Side channel blower |
| Power | 0,85 kW - 1,2 HP |
| Frequency | 50/60 Hz |
| Voltage | 400 V |
| Vacuum in continuous run | 160 mBar |
| Maximum air flow | 150 m3/h |
| Insulation class | 55 F IP |
| Noise level | 64 dB(A) |

MACHINE

| | |
|-------------------|-----------------------|
| Suction inlet | 80 Ø mm |
| Collection system | Steel container |
| Capacity | 35 Lt |
| Dimensions | 750 x 500 mm |
| Height | 1600 mm |
| Weight | 75 Kg |
| Safety valve | Pressure relief valve |

FILTRATION

| | |
|--------------------------------|-----------|
| Primary filter type | Star |
| Filter surface | 24000 cm2 |
| EN 60335-2-69 filtration class | M |
| Media | Polyester |
| Filter Cleaning System | Manual |

OPTIONS

AVAILABLE FILTER CLEANING SYSTEMS



SP
Automatic reverse jet cleaning system
Antistatic M class filter (EN 60335-2-69), 3
Polyester filter cartridges, 9 m² filter surface

AVAILABLE FILTER MEDIA



HEPA 14
Absolute filter (EN 1822)
22.000 cm² filter surface
H14 Class Filter (EN 1822)
Glass fiber



PTFE ANT
Antistatic PTFE filter (M class EN
60335-2-69)



PTFE
PTFE Filter (M class EN 60335-2-69)



NOMEX
250° Celsius resistant filter



MTF
Teflon filter (M class EN 60335-2-69)



ANT M
Antistatic filter (M class EN 60335-2-69)

STRUCTURE AND OPTIONS

60^{Hz}

60HZ
Available in 60Hz version



GRD
Grounding



BX
Stainless steel bin AISI 304



GX
Stainless steel bin and chamber AISI 304



3 YEARS WARRANTY
Purchasing the replacement filter along with the vacuum



TX
Stainless steel bin, chamber and frame AISI 304

ACCESSORIES



P12350
STARTER KIT Ø 50MM
A compact, essential solution for quick vacuuming on simple surfaces. - 3-meter Evaflex hose - 2 antistatic rubber sleeves - Flat nozzle



P11887
WET & DRY KIT Ø 50MM
Robust system for suctioning large quantities of liquids and solid debris. - 3-meter Evaflex hose - 2x antistatic rubber sleeves - Flat ...