

VACUUM CLEANERS FOR SCRAP, PACKAGING AND OEM

AS 550

TRIMMINGS AND PRODUCTION WASTE VACUUM CLEANER



POWER
5,5 kW - 7,5 HP



APPLICATION
Bulky scraps and cuttings




CAPACITY
215 Lt

FEATURES

- Suction of scraps and bulky cuttings
- Large collection capacity
- Can be installed directly on production lines
- Window to check fill level

HIGHLIGHTS



SUCTION UNIT

The suction unit is a side channel blower with direct coupling between motor and impeller. The turbine is equipped with a safety valve to ensure continuous, maintenance-free work. A metal silencer is included as standard in the turbine to ensure a low noise level.



FILTERING COLLECTION BAG

Polyester bag filter for material collection that compacts material to the bottom, thus enabling the suction of large amounts of material



COLLECTION UNIT

The material is collected inside the large chamber of the coated steel vacuum cleaner.



LEVEL INSPECTION DOOR

An inspection window allows inspection of the amount of material inside the container without having to open the top cover

TECHNICAL DATA

MOTOR

| | |
|--------------------------|---------------------|
| Typologies | Side channel blower |
| Power | 5,5 kW - 7,5 HP |
| Frequency | 50/60 Hz |
| Voltage | 400 V |
| Vacuum in continuous run | 450 mBar |
| Maximum air flow | 320 m3/h |
| Insulation class | 55 F IP |
| Noise level | 72 dB(A) |

MACHINE

| | |
|-------------------|-----------------------|
| Suction inlet | 70 Ø mm |
| Collection system | Steel container |
| Capacity | 215 Lt |
| Dimensions | 680 x 1200 mm |
| Height | 1370 mm |
| Weight | 115 Kg |
| Safety valve | Pressure relief valve |

FILTRATION

| | |
|---------------------|-----------|
| Primary filter type | Bag |
| Media | Polyester |

OPTIONS

STRUCTURE AND OPTIONS

60[✓]Hz

60HZ

Available in 60Hz version



3 YEARS WARRANTY

Purchasing the replacement filter along with the vacuum



GRD

Grounding



BX

Stainless steel bin AISI 304