

VACUUM CLEANERS FOR SCRAP, PACKAGING AND OEM

# AS 400

## TRIMMINGS AND PRODUCTION WASTE VACUUM CLEANER



**POWER**  
4 kW - 5,5 HP



**APPLICATION**  
Bulky scraps and cuttings




**CAPACITY**  
215Lt

## FEATURES

- Suction of scraps and bulky cuttings
- Large collection capacity
- Can be installed directly on production lines
- Window to check fill level

## HIGHLIGHTS



### SUCTION UNIT

The suction unit is a side channel blower with direct coupling between motor and impeller. The turbine is equipped with a safety valve to ensure continuous, maintenance-free work. A metal silencer is included as standard in the turbine to ensure a low noise level.



### FILTERING COLLECTION BAG

Polyester bag filter for material collection that compacts material to the bottom, thus enabling the suction of large amounts of material



### COLLECTION UNIT

The material is collected inside the large chamber of the coated steel vacuum cleaner.



### LEVEL INSPECTION DOOR

An inspection window allows inspection of the amount of material inside the container without having to open the top cover

## TECHNICAL DATA

### MOTOR

Typologies	Side channel blower
Power	4 kW - 5,5 HP
Frequency	50/60 Hz
Voltage	400 V
Vacuum in continuous run	350 mBar
Maximum air flow	450 m3/h
Insulation class	55   F IP
Noise level	72 dB(A)

### MACHINE

Suction inlet	70 Ø mm
Collection system	Steel container
Capacity	215 Lt
Dimensions	680 x 1200 mm
Height	1370 mm
Weight	100 Kg
Safety valve	Pressure relief valve

### FILTRATION

Primary filter type	Bag
Media	Polyester

## FEATURES



### VACUUM GAUGE

Vacuum gauge for indication of filter clogged or in need of replacement



### POWER SUPPLY CABLE



### PLUG

4-pole industrial plug



### WHEEL WITH BRAKE

Non-marking wheel with integrated brake



### WHEELS

Non-marking pivoting wheels



### STEEL CONSTRUCTION

Rugged industrial coated steel construction



### PRV

Pressure relief valve installed

## OPTIONS

### STRUCTURE AND OPTIONS

# 60<sup>Hz</sup>

### 60HZ

Available in 60Hz version



### 3 YEARS WARRANTY

Purchasing the replacement filter along with the vacuum



### GRD

Grounding



### BX

Stainless steel bin AISI 304