CENTRAL VACUUM SYSTEMS

DV AIR WB

FILTERING PRE-SEPARATOR WITH CONTAINER




APPLICATION
Powders, solids and shavings

CAPACITY
175 Lt

FEATURES

- Very high filtration efficiency with automatic cleaning system
- Side hatch for easy maintenance and filter replacement
- Simple maintenance
- Convenient detachable container for managing the vacuumed material

HIGHLIGHTS




REQUIRES SUCTION UNIT

This unit performs filtration and collection function, but requires coupling with an external vacuum unit.



FILTER UNIT

High-efficiency Class M cartridges ensure maximum dust filtration. A practical hatch facilitates maintenance and replacement operations and avoids the need to remove the cover above, making maintenance operations easier.



SP FILTER CLEANING SYSTEM

Automatic filter cleaning system in reverse flow of air at 6 bar (compressed air not supplied as standard). Each filter is cleaned at regular, alternately adjustable intervals without interrupting suction. Ideal for fine and difficult dust.



COLLECTION UNIT

The material is collected inside a coated bin complete with a handle that allows it to be released. Thanks to the 4 sturdy pivoting wheels, the bin can be moved with ease and the collected material can then be disposed of.

TECHNICAL DATA

MACHINE

Intake suction inlet	130
Outlet suction inlet	130 Ø mm
Collection system	Steel container
Capacity	175 Lt
Dimensions	1185 x 1195 mm
Height	2850 mm
Weight	380 Kg

FILTRATION

Primary filter type	4x Cartridges
Filter surface	340000 cm2
EN 60335-2-69 filtration class	M
Media	Antistatic polyester
Filter Cleaning System	Automatic SP

FEATURES



3 YEARS WARRANTY
Purchasing the replacement filter along with the vacuum



COMPRESSED AIR SUPPLY VALVE




STEEL CONSTRUCTION
Rugged industrial coated steel construction

OPTIONS

STRUCTURE AND OPTIONS



ATEX CERTIFICATION



STR
Four legs to discharge in big bag