

ACCESSORIES

SFC 570 FILTER SEPARATOR WITH CONTAINER





APPLICATION
Fine, dry and clogging powders



CAPACITY 175 Lt



FEATURES

- Very high filtration efficiency
- Convenient detachable container for managing the vacuumed material
- Simple maintenance

HIGHLIGHTS



CYCLONIC EFFECT

The tangential inlet facilitates the deposition of the sucked material due to the cyclonic effect.



FILTER UNIT

The tangential inlet facilitates the cyclonic effect to deposit the collected material in the container. Filtration is ensured by a polyester star filter in class M (filtering efficiency 1 micron) with high filtering surface area, which guarantees air passage even with a dirty filter.



COLLECTION UNIT

The material is collected inside a coated container complete with a handle that allows its release. Thanks to the 4 sturdy pivoting wheels, the container can be moved with ease, and the collected material can then be disposed of.

TECHNICAL DATA

MACHINEIntake suction inlet100Outlet suction inlet100 Ø mmCollection systemSteel containerCapacity175 LtDimensions570 x 570 mmHeight1928 mm

FILTRATION

Primary filter type	Star
Filter surface	45000 cm2
EN 60335-2-69 filtration class	М
Media	Antistatic polyester



OPTIONS

AVAILABLE FILTER CLEANING SYSTEMS



SP

Automatic reverse jet cleaning system Antistatic M class filter (EN 60335-2-69), 4 Polyester filter cartridges, 12 m² filter surface