

ACCESSORIES

# SFC 800

## FILTER SEPARATOR WITH CONTAINER



**APPLICATION**

Fine, dry and clogging  
powders



**CAPACITY**


175Lt

## FEATURES

- Very high filtration efficiency
- Convenient detachable container for managing the vacuumed material

- Simple maintenance

## HIGHLIGHTS



### CYCLONIC EFFECT

The tangential inlet facilitates the deposition of the sucked material due to the cyclonic effect.




### FILTER UNIT

Filtration is ensured by polyester cartridge filters in class M (filtration efficiency 1 micron) with high filtering surface area, which guarantees the passage of air even with dirty filter.



### SP FILTER CLEANING SYSTEM

Automatic filter cleaning system in reverse flow of air at 6 bar (compressed air not supplied as standard). Each filter is cleaned at regular, alternately adjustable intervals without interrupting suction. Ideal for fine and difficult dust.



### COLLECTION UNIT

The material is collected inside a coated bin complete with a handle that allows it to be released. Thanks to the 4 sturdy pivoting wheels, the bin can be moved with ease and the collected material can then be disposed of.

## TECHNICAL DATA

### MACHINE

Intake suction inlet	100
Outlet suction inlet	130 Ø mm
Collection system	Steel container
Capacity	175 Lt
Dimensions	800 X 800 mm
Height	2227 mm

### FILTRATION

Primary filter type	4x Cartridges
Filter surface	110000 cm2
EN 60335-2-69 filtration class	M
Media	Antistatic polyester