

ATEX AND ACD VACUUM CLEANERS

M PRO ACD

COMPACT INDUSTRIAL VACUUM FOR COMBUSTIBLE DUST



POWER
2,6 kW - 3,5 HP



APPLICATION
Combustible dusts







CAPACITY
45 Lt

FEATURES

- ACD classified for combustible dust extraction in non-Atex classified areas
- Compact and easy to maintain
- Vacuum gauge for performance monitoring
- Antistatic accessory kit included

HIGHLIGHTS



TECHNICAL DATA

MOTOR

Typologies	By-pass
Power	2,6 kW - 3,5 HP
Frequency	50 Hz
Voltage	230 V
Vacuum in continuous run	250 mBar
Maximum air flow	380 m3/h
Noise level	72 dB(A)

MACHINE

Suction inlet	50 Ø mm
Collection system	Steel container
Capacity	45 Lt
Dimensions	516 x 545 mm
Height	860 mm
Weight	38 Kg
Accessory kit included	P13641

FILTRATION


Primary filter type	Star
Filter surface	6000 cm2
EN 60335-2-69 filtration class	M
Media	Antistatic polyester

OPTIONS

AVAILABLE FILTER MEDIA



HEPA 14
Absolute filter (EN 1822)
22.000 cm² filter surface
H14 Class Filter (EN 1822)
Glass fiber



BAG
Disposable anti-static filter bag

STRUCTURE AND OPTIONS



60HZ
Available in 60Hz version



3 YEARS WARRANTY
Purchasing the replacement filter along with the vacuum



BX
Stainless steel bin AISI 304

ACCESSORIES



P13642
ANTISTATIC KIT PRO Ø 40MM
Kit containing antistatic accessories for application with 40 mm diameter ATEX vacuum cleaner



P14900
VERTIVAC – CONDUCTIVE ACCESSORY KIT FOR CLEANING AT HEIGHT Ø 40MM