

SINGLE-PHASE WET&DRY INDUSTRIAL VACUUM CLEANERS

M PRO

COMPACT AND ESSENTIAL INDUSTRIAL VACUUM



POWER
2,6 kW - 3,5 HP



APPLICATION
Powders, solids and
shavings



CAPACITY
45 Lt

FEATURES


- Compact and easy to maintain
- Spacious and functional
- Vacuum gauge for performance monitoring
- Accessory kit included

HIGHLIGHTS



SUCTION UNIT

Suction is provided by 2 by-pass motors controlled by independent switches, allowing the operator to control suction performance. The motors are located inside a robust enclosure, with an insulating sponge to maintain a low noise level.




FILTER UNIT

The material is diverted by a deflector protecting the main filter. Filtration is ensured by a class M polyester filter (filtration efficiency 1 micron) with high filtering surface area, which guarantees air passage even with the dirty filter.



ACCESSORY KIT INCLUDED

A complete and functional accessory kit is included in the standard equipment of the vacuum cleaner



DISPOSABLE FILTER BAG

Optionally available disposable polyester anti-static collection bag

TECHNICAL DATA

MOTOR

Typologies	By-pass
Power	2,6 kW - 3,5 HP
Frequency	50 Hz
Voltage	230 V
Vacuum in continuous run	250 mBar
Maximum air flow	380 m3/h
Noise level	72 dB(A)

MACHINE

Suction inlet	50 Ø mm
Collection system	Steel container
Capacity	45 Lt
Dimensions	516 x 545 mm
Height	860 mm
Weight	38 Kg
Accessory kit included	P13638

FILTRATION

Primary filter type	Star
Filter surface	6000 cm ²
EN 60335-2-69 filtration class	M
Media	Antistatic polyester

FEATURES

**DEFLECTOR**

Internal deflector to protect the filter

**SHUKO TYPE PLUG****FILTER CLOGGING INDICATOR**

Filter clogged or need to be replaced indicator light

**POWER SUPPLY CABLE****WHEEL WITH BRAKE**

Non-marking wheel with integrated brake

**WHEELS**

Non-marking pivoting wheels

**STEEL CONSTRUCTION**

Rugged industrial coated steel construction

**ACCESSORY KIT P13638**

40 mm Starter accessory kit

OPTIONS

AVAILABLE FILTER MEDIA

**HEPA 14**

Absolute filter (EN 1822)
22.000 cm² filter surface
H14 Class Filter (EN 1822)
Glass fiber

**BAG**

Disposable anti-static filter bag

STRUCTURE AND OPTIONS

60  **Hz****60Hz**

Available in 60Hz version

**3 YEARS WARRANTY**Purchasing the replacement filter along with
the vacuum**BX**

Stainless steel bin AISI 304

**RC SCHUKO**

Remote control by power tool (MAX 2000 W)

ACCESSORIES

**P13640****DRY KIT Ø 40MM**Kit containing specific accessories for 40 mm
diameter dust and solids vacuuming