

SINGLE-PHASE WET&DRY INDUSTRIAL VACUUM CLEANERS

M PRO

COMPACT AND ESSENTIAL INDUSTRIAL VACUUM



POWER
2,6 kW - 3,5 HP



APPLICATION
Powders, solids and shavings




CAPACITY
45 Lt

FEATURES


- Compact and easy to maintain
- Spacious and functional
- Vacuum gauge for performance monitoring
- Accessory kit included

HIGHLIGHTS




SUCTION UNIT

Suction is provided by 2 by-pass motors controlled by independent switches, allowing the operator to control suction performance. The motors are located inside a robust enclosure, with an insulating sponge to maintain a low noise level.



FILTER UNIT

The material is diverted by a deflector protecting the main filter. Filtration is ensured by a class M polyester filter (filtration efficiency 1 micron) with high filtering surface area, which guarantees air passage even with the dirty filter.



ACCESSORY KIT INCLUDED

A complete and functional accessory kit is included in the standard equipment of the vacuum cleaner



DISPOSABLE FILTER BAG

Optionally available disposable polyester anti-static collection bag

TECHNICAL DATA

MOTOR

Typologies	By-pass
Power	2,6 kW - 3,5 HP
Frequency	50 Hz
Voltage	230 V
Vacuum in continuous run	250 mBar
Maximum air flow	380 m3/h
Noise level	72 dB(A)

MACHINE

Suction inlet	50 Ø mm
Collection system	Steel container
Capacity	45 Lt
Dimensions	516 x 545 mm
Height	860 mm
Weight	38 Kg
Accessory kit included	P13638

FILTRATION


Primary filter type	Star
Filter surface	6000 cm2
EN 60335-2-69 filtration class	M
Media	Antistatic polyester

OPTIONS

AVAILABLE FILTER MEDIA



HEPA 14
Absolute filter (EN 1822)
22.000 cm² filter surface
H14 Class Filter (EN 1822)
Glass fiber



BAG
Disposable anti-static filter bag

STRUCTURE AND OPTIONS



60HZ
Available in 60Hz version



3 YEARS WARRANTY
Purchasing the replacement filter along with the vacuum



ACCESSORY HOLDER



BX
Stainless steel bin AISI 304



RC SCHUKO
Remote control by power tool (MAX 2000 W)

ACCESSORIES



P13640

DRY KIT Ø 40MM

Optimized configuration for thorough cleaning of floors and surfaces from dry dust.
- 3-meter Evaflex hose - 1x 50/40 antistatic rubber ...