

INDUSTRIAL VACUUM FOR OIL AND SWARF

RAM OIL 200 MP

Best-in-class capacity and compact design



WHY USE AN INDUSTRIAL VACUUM?

Industrial manufacturing processes that involve metal cutting produce residual swarf mixed with cutting oil or lubricants that are commonly collected into tanks. Using an industrial vacuum for separating cutting oil and swarf is a practical and efficient solution for managing this material, allowing easy separation and collection for recycling or safe disposal. This helps to maintain a clean and safe work environment, improve machinery efficiency, and reduce the overall environmental impact of industrial manufacturing processes.




Clean lubricants

Mud and swart



BENEFITS








OIL & SWARF SUCTION

SWARF SEPARATION

CLEAN OIL DISCHARGE










Maintenance time reduction and avoid downtimes



TECHNICAL DATA

	Units	RAM OIL 200 MP
Motors Type		3 - By-Pass
Power	Kw-HP	3,9 - 5,2
Voltage Frequency	V Hz	230 50/60
Vacuum	mBar	250
Air flow	m³/h	570
Inlet	Ømm	50
Noise level - (EN ISO 3744)	dB(A)	72
Liquid capacity	Lt	200
Solid capacity	Lt	35
Dimensions	mm	1015 x 619
Height	mm	1670
Weight	Kg	120
Oil filter 150 µm		Included

DIMENSIONS





OPTIONALS



Liquid filter $100\,\mu$ efficiency

AVAILABLE ACCESSORIES





Oil & swarf KIT P12352

Oil & swart KIT PRO P12355